

### **Grounds Maintenance**

Leaders in Specialty Chemicals, Wipe Products and Private Labeling March 2017



### Where to Sell Herbicides

- Places with large parking lots and/or fence lines
- Municipalities
- Electrical substations
- Highway departments
- Wastewater treatment plants
- School districts
- Park districts
- Railroad right of ways
- Ask your customers!





# Herbicide Types

- Selective: Effective against only certain types of plants
- Non-Selective: Kills most plants
  - Contact Herbicide: Kills only the portions of the plant in which it comes in contact. Sometimes called a defoliant. Example: Diquat
  - Systemic Herbicide: Absorbed by the plant and are translocated from the leaves, to the stem, to the root. Example: Glyphosate






Dandelion-Dicot Species: Taproot does not "branch" out and form new plants

Leaders in Specialty Chemicals, Wipe Products and Private Labeling

#### Quackgrass-Monocot Species: Roots "branch" out and shoot up new plants





# Herbicide Types

- Non-Residual: Does not stick around. Usually deactivates when it hits the soil
  - Examples: Glyphosate, Diquat
- Residual: Remains in the soil for a period of time (days to a year) to prevent plant (re)growth
  - Examples: Bromacil, Prometon



# Herbicide Types

- Foliar: Absorbed through the leaves or foliage of the plant
  - Examples: 2,4-D, Glyphosate, Diquat
- Basil: Absorbed through the roots of the plant, and typically work slower
  - Examples: Prometon, Bromacil




# **VOC Restrictions**

- Because of V.O.C. (Volatile Organic Compounds) restrictions, certain herbicides may not be sold into certain states
- V.O.C.'s react with heat and sunlight to form ground level ozone, which is a primary component of smog
- Main V.O.C. states: CA, CT, DE, IL, ME, MD, MA, MI, NH, NJ, NY, OH, PA, VA, DC, and IN



### Herbicide Selection Guide





### Non-Selective Herbicides #320: Barren

- Ready-to-use, oil-based soil sterilant
- 1.09% 2,4-D for quick knockdown
- .98% Bromacil sterilizes the soil
- Systemic action, foliar and basil absorbed
- Residual activity prevents re-growth for up to one year
- Non-VOC compliant
- Registered in: Colorado, Iowa, Kansas, Missouri, Nebraska, South Dakota, and Wyoming




#### #320 Barren In Action

#### 2 Hours

### 21 Hours

4 Days





## Non-Selective Herbicides #8320: Barren Aerosol

- Aerosol version of #320 Barren
- VOC complaint
- Ready-to-Use
- Pinpoint spray to hit target weeds
- Inverted cap for ease-of-use; applies black
- Registered in Illinois



### Non-Selective Herbicides #314: Vacate

- VOC-compliant alternative to #320 Barren
- Ready-to-Use, oil-based soil sterilant
- 1.1% 2,4-D for quick knockdown
- .61% Bromacil sterilizes the soil
- Systemic action, foliar and basil absorbed
- Residual activity prevents re-growth for up to one year
- Registered in Missouri



## Selective Herbicides #363: Triple Threat

- 2,4-D, MCPP, 2,4-DP (~12% active) provide synergistic effect of three herbicides
- Extremely effective against broadleaf weeds
- Foliar and basil absorbed
- Water-dilutable concentrate (~1:50)
- Slight residual activity for 2,4-D (1 4 weeks) for hard-to-kill weeds
- Increased effectiveness with #395 Surfactant




# #8363: Triple Threat Foaming Aerosol

- Aerosol version of #363 Triple Threat
- Ready-to-Use broadleaf killer
- Pinpoint spray to hit target weeds
- Foams to show application points
- Inverted cap for ease-of-use
- Not registered in Iowa



### #8363: Triple Threat Application





# Non-Selective Herbicides #150 / #155: Zap-It

- #150: Zap It ready-to-use, 1% Glyphosate
- #155: Zap It Ultimate, 18% Glyphosate (3 6 oz: gallon water)
- Water-based systemic herbicide kills entire plant
- No residual activity, deactivates upon contact with soil
- Foliar absorbed
- Increased effectiveness with #395 Surfactant



#### #150 Zap It In Action

7 Days

#### 24 Hours

2 Days



## Non-Selective Herbicides #145: Eliminator

- Water-based herbicide kills almost everything it <u>contacts</u>
- Excellent aquatic weed control
- Contains 1.85% Diquat
- 1:8 concentrate, dilutable with water
- Results seen in a few days
- Foliar absorbed, no residual, does not prevent regrowth
- Increased effectiveness with #395 Surfactant



#### #145 Eliminator In Action

#### 2 Hours

### 23 Hours 3 Days





### Non-Selective Herbicides #316: Weed Easy

- Granular soil sterilant. Water activated, requires water or rain to carry to the soil
- 4% Bromacil sterilizes the soil
- Slow kill: 10 14 days
- Residual activity prevents re-growth for up to one year
- Has leaching characteristics



#### #316 Weed Easy In Action

10 Days

#### 24 Hours

7 Days



## Non-Selective Herbicide #318: Banish

- VOC-compliant alternative to #322 Turf King
- Liquid, cost-effective water-based soil sterilant
- 1:10 concentrate, dilutable with water
- 1.2% Lithium Salt of Bromacil
- Residual activity prevents re-growth up to one year
- Low odor, non-staining formula
- Absorbed by the root for a slower kill (up to 14 days)
- Lower dosage rate for bare areas, higher rate heavy weed population



# Non-Selective Herbicides #322: Turf King

- Liquid, oil-based soil sterilant
- 1:10 concentrate, dilutable with water or oil. Liquid required to move into the root zone
- 3.73% Prometon
- Primarily basil absorbed
- Residual activity prevents re-growth up to one year
- Increased effectiveness with #395 Surfactant
- Non-VOC compliant. Recommend #318 Banish



# Hints for Applying Herbicides

- Always follow label directions, more is never better
- When applying soil sterilants, ensure enough is applied to allow ground penetration
- When applying soil sterilants, ensure ground is clear enough to allow ground penetration
- Use a dedicated sprayer for each herbicide type
- Optimal application time is when weeds are young and / or actively growing; active weeds will draw the herbicide into the root. Weeds can go into a dormant "hibernation" state when stressed

Service. Speed. Focused Innovation.

### Examples of not following label instructions






### Factors in Successful Application

- Results Desired
- Time of Year
- Climatic Conditions
- Soil Types
- Type of Herbicide Used
- Use of Surfactants



### Herbicide Selection Guide



#### **Total Solutions Herbicides - Registration & Restriction Summary**



\*\*\*This information is subject to change at any time. Please contact your Athea sales rep for the most current information.\*\*\*

		AL	AK	AZ	AR	CA	<b>CO</b>	СТ	DE	FL	GA	HI	ID	IL	IN	IA	KS	KY	LA	ME	MD	MA	MI	MN	MS	MO	
145	Eliminator	Y	Ν	Y	Y	Y	Y	Y	Ν	Y	Y	Ν	Y	Y	Y	Y	Y	Y	Y	Ν	Y	Y	Ν	Y	Y	Y	1
146	Eliminator NW	N	Ν	N	N	N	Ν	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	Ν	N	Ν	
150	Zap-It	N	N	Y	Y	Ν	Y	Ν	N	Y	Y	Ν	Ν	Y	Y	Y	Y	Y	Ν	Ν	Ν	Y	Y	Y	Y	Y	
155	Zap-It Ultimate	Y	Ν	Y	Ν	Ν	Y	Y	Ν	Y	N	Ν	Y	Y	Y	Y	N	Y	Y	N	Y	Y	Y	Y	N	Y	
314	Vacate	N	Ν	Ν	Ν	Ν	Ν	Y	Y	Ν	N	Ν	Ν	Y	Y	Ν	N	Ν	Ν	Y	Y	Y	Y	Ν	N	Y	
316	Weed Easy	Y	Ν	Y	Y	Ν	Ν	Y	Ν	Y	Y	Ν	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	Y	Y	Y	
318	Banish	Y	Ν	Y	Y	Ν	Ν	Ν	Y	Y	Y	Ν	Y	Y	Y	Y	Y	Y	Y	N	Y	N	Y	Y	Y	Y	
320	Barren	Y	Ν	Y	Y	R*	R*	Ν	Ν	Y	Y	Ν	Y	Ν	N	Y	Y	Y	Y	N	N	N	Ν	Y	Y	Y	
322	Turf King	Y	Ν	Y	Y	N	Ν	Ν	N	Y	Y	Ν	Y	Ν	N	Y	Y	Y	Y	N	Ν	Ν	N	Y	Y	Y	
363	Triple Threat	Y	Ν	Y	Y	Ν	Y	Ν	N	Y	Y	Ν	Y	Y	Y	Y	Y	Y	Ν	N	Y	N	Y	Y	Y	Y	
8320	Barren Aerosol	N	Ν	Ν	Ν	Ν	Ν	Ν	N	Ν	Y	Ν	N	Y	N	N	N	Ν	Ν	Ν	Ν	Ν	Y	Ν	Ν	Y	
8363	Triple Threat Foaming Selective Herb.	N	Ν	Ν	Ν	Y	Y	Ν	Ν	Ν	N	Ν	N	Y	Y	Ν	N	N	Ν	N	N	Ν	Ν	Y	N	Y	L
		MT	NE	NV	NH	NJ	NM	NY	NC	ND	OH	OK	OR	PA	RI	SC	SD	TN	TX	ய	VT	VA	WA	WV	WI	WY	DC
145	Eliminator	MT Y	NE Y	NV Y	NH N	NJ R*	NM Y	NY N	NC Y	ND N	OH Y	OK Y	OR Y	PA Y	RI Y	SC Y	SD Y	TN Y	TX Y	UT Y	VT N	VA Y	WA R*	WV Y	WI Y	WY Y	DC N
145 146	Eliminator Eliminator NW													_													_
		Y		Y	N	R*	Y	Ν	Y	Ν		Y	Y	Y	Y	Y	Y	Y		Y	Ν	Y	R*	Y	Y	Y	Ν
146	Eliminator NW	<b>Y</b> N	Y N	Y N	N Y	<b>R*</b> <i>N</i>	Y N	N Y	Y N	N N	<b>Y</b> N	Y N	Y N	<b>Y</b> N	Y	Y N	Y N	Y N	Y N	<b>Y</b> N	N N	<b>Y</b> N	<b>R*</b> <i>N</i>	Y N	<b>Y</b> N	Y N	N N
146 150	Eliminator NW Zap-It	<b>Y</b> N N	Y N N	Y N Y	N Y Y	R* N Y	<b>Y</b> N N	N Y Y	Y N N	N N N	Y N Y	<b>Ү</b> N <b>Ү</b>	<b>Y</b> N N	Y N Y	Y N Y	<b>Y</b> N N	Y N N	<b>Y</b> N N	Y N Y	<b>Y</b> N N	N N N	Υ Ν Υ	R* // R*	<b>ү</b> N <b>ү</b>	Υ Ν Υ	Y N Y	N N N
146 150 155	Eliminator NW Zap-It Zap-It Ultimate	<b>Y</b> N N	Y N N Y	<b>ү</b> N <b>ү</b> N	N Y Y Y	R* N Y Y	<b>Y</b> N N <b>Y</b>	N Y Y Y	<b>Y</b> N N <b>Y</b>	N N N	Y N Y Y	<b>ү</b> N <b>ү</b>	<b>Y</b> N N	Y N Y Y	<b>Y</b> N <b>Y</b> N	<b>Y</b> N N <b>Y</b>	Y N N	Υ N N Υ	Y N Y Y	<b>Y</b> N N	N N N	Y N Y Y	R* N R* N	Y N Y Y	Y N Y Y	Υ Ν Υ Ν	N N N
146 150 155 314	Eliminator NW Zap-It Zap-It Ultimate Vacate	<b>Y</b> <i>N</i> <i>N</i> <i>N</i>	Y N N Y	<b>Y</b> N <b>Y</b> N	N Y Y Y Y	R* N Y Y Y	Υ N Y N	N Y Y Y Y	<b>Y</b> N N <b>Y</b> N	N N N N	Y N Y Y	<b>ү</b> N <b>ү</b> N	<b>Y</b> N N N	Y N Y Y Y	Y N Y N Y	<b>Y</b> N <b>N</b> <b>Y</b> N	<b>Y</b> N N N	Y N N Y	Y N Y N	Y N N Y	N N N R*	Y N Y Y Y	R* N R* N N	Y N Y N	Y N Y N	Y N Y N N	N N N Y
146 150 155 314 316	Eliminator NW Zap-It Zap-It Ultimate Vacate Weed Easy	Y N N N Y	<b>ү</b> N <b>ү</b> N <b>ү</b>	Y N Y N N N	N Y Y Y Y Y	R* N Y Y Y Y	Y N Y N Y	N Y Y Y Y Y	Y N N Y N Y	N N N N N	Y N Y Y Y Y	Y N Y N N Y	<b>Y</b> <i>N N N N N N</i>	Y N Y Y Y Y	Y N Y N Y	Y N N Y N Y	<b>ү</b> N N N <b>Ү</b>	Y N N Y N Y	Y N Y N R*	Y N N Y Y	N N N <b>R</b> *	Y N Y Y Y Y	<b>R*</b> N <b>R*</b> N N N	Y N Y N N Y	Y N Y N Y	Υ N Y N N N	N N N Y N
146 150 155 314 316 318	Eliminator NW Zap-It Zap-It Ultimate Vacate Weed Easy Banish	Υ N N N Υ N	<b>ү</b> <u>N</u> <b>Y</b> <u>Y</u> <u>Y</u> <del>Y</del>	Y N Y N N Y	N           Y           Y           Y           Y           N	R* N Y Y Y Y Y	Y N Y N Y Y	N Y Y Y Y Y Y	Y N Y N Y Y	N N N N N N	Y N Y Y Y Y Y	Y N Y N Y Y	Υ N N N N Υ	Y N Y Y Y Y Y	Υ Ν Υ Ν Υ Ν	Y N Y N Y Y	<b>Ү</b> N N N <b>Ү</b> N	Y N Y N Y	Y N Y N R* R*	Y N N Y Y Y	N N N R* N N	Y N Y Y Y Y	<b>R*</b> N <b>R*</b> N N N N	Y N Y N Y Y	Υ Ν Υ Υ Ν Υ	<b>Y</b> <i>N</i> <b>Y</b> <i>N N N N N N</i>	N N N Y N
146 150 155 314 316 318 320	Eliminator NW Zap-It Zap-It Ultimate Vacate Weed Easy Banish Barren	Y N N N Y N Y	<b>ү</b>	Y N N N N Y Y	N Y Y Y Y N N	R* N Y Y Y Y N	Y N Y N Y R*	N Y Y Y Y Y N	Y N Y N Y Y Y Y	N N N N N Y	Y N Y Y Y Y N	Y N Y N Y Y Y	Y N N N Y Y	Y N Y Y Y Y N	Y N Y N N N N	Y N Y N Y Y Y	Y N N N Y N Y	Y N Y N Y Y Y	Y N Y N R* R* R*	Y N N Y Y N	N N N R* N N N	Y N Y Y Y Y R*	R* N R* N N N R*	Y N Y N Y Y Y	Y N Y N Y Y Y	Y N Y N N N Y	N N N Y N N N
146 150 155 314 316 318 320 322	Eliminator NW Zap-It Zap-It Ultimate Vacate Weed Easy Banish Barren Turf King	Y N N N Y Y Y	<b>ү</b>	Y N N N Y Y Y Y	N           Y           Y           Y           N           N           N           N	R* N Y Y Y Y N N	Y N Y N Y R* Y	N           Y           Y           Y           Y           N           N	Y N Y N Y Y Y Y Y	N N N N N Y Y	Y N Y Y Y Y N	Y N Y N Y Y Y Y Y	Y N N N Y Y Y	Y N Y Y Y Y N N	Y N Y N N N N N	Y N Y Y Y Y Y	Y N N N Y Y Y	Y N Y Y Y Y Y	Y N Y N R* R* R* R* R*	Y N N Y Y N N N	N N N R* N N N N	Y N Y Y Y Y R* N	R* N R* N N N R* R*	Y N Y N Y Y Y Y	Y N Y N Y Y Y Y	Y N V N N N V Y Y	N N N Y N N N N

#### KEY:

Y Total Solutions brand product is registered in this state. At this time, no additional restrictions apply to sales of this product.

N Total Solutions brand product is not available in this state at this time.

R\* Product may be subject to licensing or other restrictions. Please contact Athea for additional information if you would like to purchase this product.



### Find further information (SDS, labels, data sheets) at www.athea.com

Or contact us: Toll Free: 800.743.6417 Fax: 414.354.6417